Tour ACCURACY & DISTANCE ™

GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

2027 GRAPHITE DESIGN SHAFT CATALOG



PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

P.O. Box 131323
Carlsbad, California 92013-1323
Sales: 619-454-6283
Cust. Service: 760-476-9598

updated July 15, 2026

About Us

Graphite Design, Inc.

Graphite Design, Inc. was established in 1989 in Chichibu, Saitama, Japan. The founder, Mr. Megumi Yamada, worked with the world's renowned material manufacturers to develop innovative manufacturing techniques, upgraded resin systems, and high-performance composite materials for use within the golf industry. Graphite Design has a strong reputation as a leader in producing composite golf shafts that maximize Accuracy and Distance, as symbolized by the globally recognized **TOUR AD** shaft model. The TOUR AD brand model dominates use across all professional golf tours worldwide.

On Tour, Graphite Design shafts recorded 44 Global tournament victories in 2025 and have helped numerous golf professionals earn well over 580 victories and multi-millions of dollars in prize money since inception.

Pro's Choice Golf Shafts, Inc.

Pro's Choice is a California Corporation formed in 2012 and located in San Diego. Its 8 key employees have over 108 years of experience in the golf industry. Graphite Design, Inc. has granted Pro's Choice exclusive distribution rights to sell its products in the U.S., Canada, Mexico, Europe, the UAE, S. Africa, S. America, and Australia. Pro's Choice is committed to providing golf shafts to professionals, serious amateurs, and recreational golfers around the world..

Contact Us:

For more information about Pro's Choice Golf Shafts or Graphite Design shafts:

Bill McPherson
619-454-6283
b.mcpherson@proschoicegolfshafts.com
www.proschoicegolfshafts.com



GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD EK

The **2027 Graphite Design Tour AD EK** – **"Extra Kick"** graphite wood shaft is engineered to deliver a mid/high launch with controlled low/mid spin, providing golfers with the ideal combination of increased carry distance, exceptional accuracy, and responsive feel.

Manufactured exclusively in Japan, the **Tour AD EK** is designed for players seeking effortless launch and maximum distance without sacrificing control. Its specialized EI profile features a stiff butt section, a firm mid-section, and a stable tip section to maximize energy transfer and promote powerful, efficient launch conditions.

Constructed from premium aerospace-grade carbon fiber, the **Tour AD EK** incorporates new Toray T1200G carbon fiber technology in the tip section, along with Graphite Design's exclusive AD Shield technology. The result is an outstanding feel, enhanced shaft stability, efficient energy transfer, and consistent performance that golfers have come to expect from the Tour AD lineup.

Ideal for players looking to maximize carry distance while maintaining a smooth yet powerful loading profile, the **Tour AD EK** delivers the perfect balance of speed, stability, and responsiveness.

Swing Faster. Hit Farther. Experience Maximum Kick Velocity with the new **Tour AD EK "Extra Kick"** wood shafts from Graphite Design.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD EK 4 R2	WEK4-R2	LITE/SENIOR	46"	48.5g	.335"	3.0"	0.606"	5.3°	MID
TOUR AD EK 4 R1	WEK4-R1	REGULAR	46"	49.5g	.335"	3.0"	0.608"	5.3°	MID
TOUR AD EK 4 S	WEK4-S	STIFF	46"	50g	.335"	3.0"	0.608"	5.2°	MID
TOUR AD EK 4 X	WEK4-X	X-STIFF	46"	51.5g	.335"	3.0"	0.610"	5.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD EK 5 R2	WEK5-R2	LITE/SENIOR	46"	55g	.335"	3.0"	0.606"	4.4°	MID
TOUR AD EK 5 R1	WEK5-R1	REGULAR	46"	56g	.335"	3.0"	0.608"	4.4°	MID
TOUR AD EK 5 S	WEK5-S	STIFF	46"	56.5g	.335"	3.0"	0.608"	4.4°	MID
TOUR AD EK 5 X	WEK5-X	X-STIFF	46"	59g	.335"	3.0"	0.612"	4.4°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD EK 6 SR	WEK6-SR	STIFF REGULAR	46"	64g	.335"	3.0"	0.602"	3.2°	MID
TOUR AD EK 6 S	WEK6-S	STIFF	46"	66.5g	.335"	3.0"	0.606"	3.2°	MID
TOUR AD EK 6 X	WEK6-X	X-STIFF	46"	68g	.335"	3.0"	0.606"	3.2°	MID
TOUR AD EK 6 TX	WEK6-TX	TOUR X-STIFF	46"	70g	.335"	3.0"	0.610"	3.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD EK 7 S	WEK7-S	STIFF	46"	74.5g	.335"	3.0"	0.604"	2.8°	MID
TOUR AD EK 7 X	WEK7-X	X-STIFF	46"	77g	.335"	3.0"	0.608"	2.8°	MID
TOUR AD EK 7 TX	WEK7-TX	TOUR X-STIFF	46"	78.5g	.335"	3.0"	0.610"	2.8°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD EK 8 X	WEK8-X	X-STIFF	46"	84g	.335"	3.0"	0.610"	2.6°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 wood or greater: 1.0", then Butt Cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD FI

The **Tour AD FI** - **F**light **I**ntelligence - the next evolution in golf shaft technology from Graphite Design - was designed and manufactured at Graphite Design's Japan factory headquarters.

Engineered for players who demand precision, power, and consistency, the **Tour AD FI** utilizes premium, aerospace-quality carbon-fiber materials and is available in 40g R2, R1, S flex and X flex, 50g R2, R1, S and X flex, 60g SR, S, X, and TX flex, 70g S, X, and TX flex, and 80g X flex.

The **Tour AD FI** shaft profile is Firm+ in the butt section and Firm+ in the center section, and has a Stiff tip to promote Mid-launch angles and Low to Low/Mid-ball spin rates. It utilizes Graphite Design's proprietary **AD Shield** technology and the new **TORNADO TIP TECH**, along with the modern **Torayca M40X** and **T1100G** material technologies, to reliably transmit the player's input to the club head, allowing for consistent shot-making and enhanced performance on the course.

Whether shaping shots or maximizing distance, the new **Tour AD FI** adapts to your swing, delivering unparalleled stability and responsiveness. Elevate your game with a shaft that thinks as fast as you play - because intelligent performance starts with the new T**our AD F**light **I**ntelligence golf shaft from Graphite Design.


MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD FI 4 R2	WFI4-R2	LITE/SENIOR	46"	49g	.335"	3.0"	.602"	5.3°	MID
TOUR AD FI 4 R1	WFI4-R1	REGULAR	46"	50g	.335"	3.0"	.602"	5.3°	MID
TOUR AD FI 4 S	WFI4-S	STIFF	46"	51g	.335"	3.0"	.604"	5.2°	MID
TOUR AD FI 4 X	WFI4-X	X-STIFF	46"	53g	.335"	3.0"	.606"	5.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD FI 5 R2	WFI5-R2	LITE/SENIOR	46"	56g	.335"	3.0"	.604"	4.6°	MID
TOUR AD FI 5 R1	WFI5-R1	REGULAR	46"	57g	.335"	3.0"	.604"	4.5°	MID
TOUR AD FI 5 S	WFI5-S	STIFF	46"	57.5g	.335"	3.0"	.604"	4.5°	MID
TOUR AD FI 5 X	WFI5-X	X-STIFF	46"	60.5g	.335"	3.0"	.608"	4.5°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD FI 6 SR	WFI6-SR	STIFF	46"	64.5g	.335"	3.0"	.598"	3.2°	MID
TOUR AD FI 6 S	WFI6-S	STIFF	46"	66.5g	.335"	3.0"	.600"	3.2°	MID
TOUR AD FI 6 X	WFI6-X	X-STIFF	46"	68g	.335"	3.0"	.602"	3.2°	MID
TOUR AD FI 6 TX	WFI6-TX	TOUR X-STIFF	46"	71g	.335"	3.0"	.606"	3.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD FI 7 S	WFI7-S	STIFF	46"	75.5g	.335"	3.0"	.600"	2.9°	MID
TOUR AD FI 7 X	WFI7-X	X-STIFF	46"	78g	.335"	3.0"	.602"	2.9°	MID
TOUR AD FI 7 TX	WFI7-TX	TOUR X-STIFF	46"	79g	.335"	3.0"	.604"	2.9°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD FI 8 X	WFI8-X	X-STIFF	46"	85g	.335"	3.0"	.608"	2.6°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 wood or greater: 1.0", then Butt Cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ GC

Designed and manufactured at the Graphite Design Japan factory headquarters, the **Tour AD GC** "**G**ame **C**hanger" wood shafts are pearl white with bronze and orange accents and finished with a gloss clear coat. Much like the other high performance Tour AD wood shafts, the Tour AD GC utilizes premium, aerospace quality carbon-fiber materials and are available in 40g R2, R1 and S flex, 50g R2, R1, S and X flex, 60g SR, S, X and TX flex, 70g S, X and TX flex and 80g X flex.

The **Tour AD GC** shaft profile is Stiff in the butt section, Firm in the center section and has a Firm+ tip to promote Mid launch angles and Low/Mid to Mid ball spin rates.

The **Tour AD GC** shaft integrates a new material technology called **AD SHIELD** which consists of strategically placed special plies of carbon-fiber combined with the modern **TORAYCA® M40X** material technology in the handle section of the shaft that results in a stiff, yet smooth feeling kick point and optimized shaft profile.

The **Tour AD GC** shaft also utilizes the ultra-high modulus **TORAYCA® T1100G** carbon-fiber material in the tip section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for.

Are you ready to make a change to how your Driver or Fairway metal woods perform? Experience the **Tour AD GC** and see if the new innovations that the **Tour AD GC** has might just be the biggest **G**ame **C**hanger to your golf game.


MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD GC 4 R2	WGC4-R2	LITE/SENIOR	46"	45g	.335"	3.0"	.602"	5.5°	MID
TOUR AD GC 4 R1	WGC4-R1	REGULAR	46"	46.5g	.335"	3.0"	.604"	5.5°	MID
TOUR AD GC 4 S	WGC4-S	STIFF	46"	47.5g	.335"	3.0"	.606"	5.5°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD GC 5 R2	WGC5-R2	LITE/SENIOR	46"	52g	.335"	3.0"	.602"	4.5°	MID
TOUR AD GC 5 R1	WGC5-R1	REGULAR	46"	52.5g	.335"	3.0"	.604"	4.5°	MID
TOUR AD GC 5 S	WGC5-S	STIFF	46"	53g	.335"	3.0"	.604"	4.5°	MID
TOUR AD GC 5 X	WGC5-X	X-STIFF	46"	56.5g	.335"	3.0"	.608"	4.4°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD GC 6 SR	WGC6-SR	STIFF REGULAR	46"	61.5g	.335"	3.0"	.600"	3.1°	MID
TOUR AD GC 6 S	WGC6-S	STIFF	46"	62g	.335"	3.0"	.602"	3.1°	MID
TOUR AD GC 6 X	WGC6-X	X-STIFF	46"	65.5g	.335"	3.0"	.604"	3.1°	MID
TOUR AD GC 6 TX	WGC6-TX	TOUR X-STIFF	46"	67g	.335"	3.0"	.608"	3.1°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD GC 7 S	WGC7-S	STIFF	46"	71g	.335"	3.0"	.600"	2.8°	MID
TOUR AD GC 7 X	WGC7-X	X-STIFF	46"	72.5g	.335"	3.0"	.602"	2.8°	MID
TOUR AD GC 7 TX	WGC7-TX	TOUR X-STIFF	46"	74g	.335"	3.0"	.604"	2.8°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD GC 8 X	WGC8-X	X-STIFF	46"	83g	.335"	3.0"	.608"	2.5°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD VF

The Graphite Design **Tour AD VF** – **V**ictory **F**orce was designed and is manufactured at the Graphite Design Japan factory headquarters and are jet black with red accents and finished with a gloss clear coat.

The **Tour AD VF**, like the other high performance Tour AD wood shafts, utilizes premium, aerospace quality carbon-fiber materials and are available in 40g R2, R1 and S flex, 50g R2, R1, S and X flex, 60g SR, S, X and TX flex, 70g S, X and TX flex and 80g X flex.

The **Tour AD VF** shaft profile is Firm in the butt section, Stiff+ in the center section and has a Very Stiff tip to promote Low/Mid launch angles and Low-ball spin rates. The **Tour AD VF** shafts utilizes the modern **TORAYCA® M40X** carbon-fiber material in the butt section of the shaft to support a stiff, yet smooth feeling kick point and the ultra-high modulus **TORAYCA® T1100G** carbon-fiber material in the middle thru to the tip section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for.

Victories require **F**orce. Visit your local Graphite Design dealer for a fitting and experience the **Tour AD VF**, where you will discover the Force necessary to achieve Victory.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD VF 4 R2	WVF4-R2	LITE/SENIOR	46"	46g	.335"	3.0"	.594"	5.5°	MID/HIGH
TOUR AD VF 4 R1	WVF4-R1	REGULAR	46"	46g	.335"	3.0"	.594"	5.5°	MID/HIGH
TOUR AD VF 4 S	WVF4-S	STIFF	46"	47g	.335"	3.0"	.596"	5.6°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF 5 R2	WVF5-R2	LITE/SENIOR	46"	55g	.335"	3.0"	.596"	4.3°	MID/HIGH
TOUR AD VF 5 R1	WVF5-R1	REGULAR	46"	55g	.335"	3.0"	.596"	4.3°	MID/HIGH
TOUR AD VF 5 S	WVF5-S	STIFF	46"	56.5g	.335"	3.0"	.598"	4.3°	MID/HIGH
TOUR AD VF 5 X	WVF5-X	X-STIFF	46"	59g	.335"	3.0"	.602"	4.3°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF 6 SR	WVF6-SR	STIFF REGULAR	46"	64g	.335"	3.0"	.600"	3.3°	MID/HIGH
TOUR AD VF 6 S	WVF6-S	STIFF	46"	66.5g	.335"	3.0"	.602"	3.3°	MID/HIGH
TOUR AD VF 6 X	WVF6-X	X-STIFF	46"	67g	.335"	3.0"	.604"	3.3°	MID/HIGH
TOUR AD VF 6 TX	WVF6-TX	TOUR X-STIFF	46"	68.5g	.335"	3.0"	.606"	3.3°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF 7 S	WVF7-S	STIFF	46"	74g	.335"	3.0"	.602"	3.0°	MID/HIGH
TOUR AD VF 7 X	WVF7-X	X-STIFF	46"	75.5g	.335"	3.0"	.604"	3.0°	MID/HIGH
TOUR AD VF 7 TX	WVF7-TX	TOUR X-STIFF	46"	77g	.335"	3.0"	.606	3.0°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF 8 X	WVF8-X	X-STIFF	46"	85g	.335"	3.0"	.608"	2.8°	MID/HIGH

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.





SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt.	Tip OD	Tip Para.	Butt OD	Torque	Kick Point	Launch	Spin
ANTI GRAVITY aG33-3 R2	aG33-3 R2	LITE/SENIOR	46"	38.5g	.335"	3.0"	.592"	7.6°	LOW	HIGH	MID
ANTI GRAVITY aG33-3 R	aG33-3 R	REGULAR	46"	39.5g	.335"	3.0"	.592"	7.5°	LOW	HIGH	MID
ANTI GRAVITY aG33-3 SR	aG33-3 SR	STIFF REGULAR	46"	40.5g	.335"	3.0"	.594"	7.5°	LOW	HIGH	MID
Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.											

Tour ACCURACY & DISTANCE

GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

The Graphite Design **Anti-Gravity aG33-3 Series** wood offers the latest in ultra-lightweight premium golf shafts. Designed and manufactured at the Graphite Design Japan factory headquarters, the new **Anti-Gravity aG33-3 Series** wood shafts are metallic silver with red, silver and black accents and finished in a gloss clear coat.

The **Anti-Gravity aG33-3 Series** wood shafts utilizes ultra-thin aerospace quality carbon-fiber materials to obtain a light weight characteristic, as well as to provide the golfer with a shaft that possesses superior response and feedback at impact as well as the ultra-high modulus **TORAYCA® M40X** carbon-fiber material in the butt section for additional zonal stiffness tuning and stability.

anti Gravity

The **Anti-Gravity aG33-3 Series** wood shafts are all sub 40g shafts after installation into a golf club and designed to promote a High launch angle and mid ball spin rates and are available in the flexes of R2 (Senior/Lite) flex, R (Regular) flex and SR (Stiff Regular) Flex.

The **Anti-Gravity aG33-3 Series** of shafts are a fine example of an extremely high quality and superior performing golf shaft, made in Japan and that follow in line with the 30+ years of heritage that all of the premium Graphite Design shafts are so well known for.

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

MSRP $500.00
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

TORAYCA M40X

PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD CQ

Designed and manufactured at the Graphite Design Japan factory headquarters, the Graphite Design **Tour AD CQ** - CONQUEST wood shafts are jet black with gold and red accents and finished with a gloss clear coat.

The **Tour AD CQ**, like the other high performance Tour AD wood shafts, utilizes premium, aerospace quality carbon-fiber materials and are available in 40g R2, R1 and S flex, 50g R2, R1, S and X flex, 60g SR, S, X and TX flex, 70g S, X and TX flex and 80g X flex.

The **Tour AD CQ** shafts features the new **Nitta 2G-Namd** carbon-fiber material technology in the butt section of the shaft and has a bend profile of firm in the handle section, firm in the center section and a medium+ tip section to promote mid-high launch angles and mid ball spin rates. The **Nitta 2G-Namd** material is based on modern carbon nano tube technology that binds the fibers tighter together than standard carbon materials to aid in a higher degree of energy transfer thru the golf club and a more solid impact of the golf ball than shafts without **Nitta 2G-Namd** technology.

Visit your local Graphite Design dealer for a fitting and experience what the new **Tour AD CQ** wood shafts with **Nitta 2G-Namd** can offer in your CONQUEST to gain a Tour level of precise Accuracy and greater Distance that all **Tour AD** shafts are so well known for.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD CQ 4 R2	WCQ4-R2	LITE/SENIOR	46"	47g	.335"	3.0"	.596"	6.1°	LOW/MID
TOUR AD CQ 4 R1	WCQ4-R1	REGULAR	46"	48g	.335"	3.0"	.596"	6.0°	LOW/MID
TOUR AD CQ 4 S	WCQ4-S	STIFF	46"	49g	.335"	3.0"	.600"	6.0°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD CQ 5 R2	WCQ5-R2	LITE/SENIOR	46"	53g	.335"	3.0"	.596"	4.6°	LOW/MID
TOUR AD CQ 5 R1	WCQ5-R1	REGULAR	46"	54g	.335"	3.0"	.598"	4.6°	LOW/MID
TOUR AD CQ 5 S	WCQ5-S	STIFF	46"	56g	.335"	3.0"	.600"	4.5°	LOW/MID
TOUR AD CQ 5 X	WCQ5-X	X-STIFF	46"	59g	.335"	3.0"	.604"	4.5°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD CQ 6 SR	WCQ6-SR	STIFF REGULAR	46"	62g	.335"	3.0"	.600"	3.4°	LOW/MID
TOUR AD CQ 6 S	WCQ6-S	STIFF	46"	64g	.335"	3.0"	.602"	3.4°	LOW/MID
TOUR AD CQ 6 X	WCQ6-X	X-STIFF	46"	66g	.335"	3.0"	.604"	3.4°	LOW/MID
TOUR AD CQ 6 TX	WCQ6-TX	TOUR X-STIFF	46"	68g	.335"	3.0"	.606"	3.4°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD CQ 7 S	WCQ7-S	STIFF	46"	73g	.335"	3.0"	.602"	3.2°	LOW/MID
TOUR AD CQ 7 X	WCQ7-X	X-STIFF	46"	74g	.335"	3.0"	.604"	3.2°	LOW/MID
TOUR AD CQ 7 TX	WCQ7-TX	TOUR X-STIFF	46"	76g	.335"	3.0"	.606	3.2°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD CQ 8 X	WCQ8-X	X-STIFF	46"	83g	.335"	3.0"	.604"	3.0°	LOW/MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ UB

The Graphite Design **Tour AD UB – Up and Beyond** shaft was designed and is manufactured at the Graphite Design Japan factory headquarters. They are metallic blue with a silver spray faded tip and black accents and finished with a gloss clear coat.

Like the other high-performance Tour AD wood shafts, the Tour AD UB utilizes premium, aerospace-quality carbon-fiber materials and is available in 40g R2, R1, and S flex, 50g R2, R1, S and X flex, 60g SR, S, X, and TX flex, 70g S, X, and TX flex, and 80g S and X flex.

The **Tour AD UB** shaft profile is medium+ in the butt section, medium+ in the center section and has a stiff+ tip to promote a mid to mid/high launch angle and low/mid ball spin rates. **Tour AD UB** shafts utilizes the modern **TORAYCA® M40X** carbon-fiber material in the mid to tip section of the shaft and the ultra-high modulus **TORAYCA® T1100G** carbon-fiber material in the tip section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for.

Visit your local Graphite Design dealer and experience the tour-level performance that the new Tour AD UB wood shafts with TORAYCA® M40X and T1100G material technologies can offer, resulting in your golf game moving up and beyond all of your expectations.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD UB 4 R2	ADUB4-R2	LITE/SENIOR	46"	45g	.335"	3.0"	.589"	5.5°	LOW/MID
TOUR AD UB 4 R1	ADUB4-R1	REGULAR	46"	47g	.335"	3.0"	.591"	5.5°	LOW/MID
TOUR AD UB 4 S	ADUB4-S	STIFF	46"	48g	.335"	3.0"	.593"	5.5°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD UB 5 R2	ADUB5-R2	LITE/SENIOR	46"	54g	.335"	3.0"	.594"	4.4°	LOW/MID
TOUR AD UB 5 R1	ADUB5-R1	REGULAR	46"	56g	.335"	3.0"	.596"	4.4°	LOW/MID
TOUR AD UB 5 S	ADUB5-S	STIFF	46"	57g	.335"	3.0"	.598"	4.4°	LOW/MID
TOUR AD UB 5 X	ADUB5-X	X-STIFF	46"	59g	.335"	3.0"	.600"	4.4°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD UB 6 SR	ADUB6-SR	STIFF REGULAR	46"	63g	.335"	3.0"	.598"	3.2°	LOW/MID
TOUR AD UB 6 S	ADUB6-S	STIFF	46"	65g	.335"	3.0"	.600"	3.2°	LOW/MID
TOUR AD UB 6 X	ADUB6-X	X-STIFF	46"	66g	.335"	3.0"	.602"	3.2°	MID
TOUR AD UB 6 TX	ADUB6-TX	TOUR X-STIFF	46"	67g	.335"	3.0"	.602"	3.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD UB 7 S	ADUB7-S	STIFF	46"	74g	.335"	3.0"	.600"	3.0°	LOW/MID
TOUR AD UB 7 X	ADUB7-X	X-STIFF	46"	75g	.335"	3.0"	.602"	3.0°	MID
TOUR AD UB 7 TX	ADUB7-TX	TOUR X-STIFF	46"	76g	.335"	3.0"	.602"	3.0°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD UB 8 S	ADUB8-S	STIFF	46"	82g	.335"	3.0"	.604"	2.8°	LOW/MID
TOUR AD UB 8 X	ADUB8-X	X-STIFF	46"	83g	.335"	3.0"	.606"	2.8°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



TORAYCA T1100G + TORAYCA M40X

PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ XC

The Graphite Design ***Tour AD XC*** – designed for "**X**tra **C**arry", was Designed and is manufactured at the Graphite Design Japan factory headquarters and is black with silver and red accents, a silver fade at the tip and finished with a matte clear coat.

The ***Tour AD XC***, like the other high performance Tour AD wood shafts, utilizes premium, aerospace quality carbon-fiber materials and are available in 40g R2, R1 and S flex, 50g R2, R1, S and X flex, 60g SR, S, X and TX flex, 70g S, X and TX flex and 80g S and X flex.

The ***Tour AD XC*** shaft profile is softer in the butt section, stiff in the center section and has a stiff tip to promote low/mid launch angle and low spin with the ball. The ***Tour AD XC*** also utilizes the brand new TORAYCA® M40X carbon-fiber pre-preg in the Mid to Tip Section of the shaft as well as the TORAYCA® T1100G carbon-fiber pre-preg with NANOALLOY® technology in the tip section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for.

Get fit by your local professional club fitter into the new Graphite Design ***Tour AD XC*** and get ready to experience the **X**tra **C**arry you are looking for to lower your scores.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD XC4 R2	ADXC4-R2	LITE/SENIOR	46"	47g	.335"	3.0"	.593"	5.7°	MID/HIGH
TOUR AD XC 4 R1	ADXC4-R1	REGULAR	46"	47g	.335"	3.0"	.593"	5.7°	MID/HIGH
TOUR AD XC 4 S	ADXC4-S	STIFF	46"	48g	.335"	3.0"	.593"	5.7°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD XC 5 R2	ADXC5-R2	LITE/SENIOR	46"	54g	.335"	3.0"	.594"	4.3°	MID/HIGH
TOUR AD XC 5 R1	ADXC5-R1	REGULAR	46"	54g	.335"	3.0"	.594"	4.2°	MID/HIGH
TOUR AD XC 5 S	ADXC5-S	STIFF	46"	56g	.335"	3.0"	.596"	4.2°	MID/HIGH
TOUR AD XC 5 X	ADXC5-X	X-STIFF	46"	58g	.335"	3.0"	.600"	4.2°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD XC 6 SR	ADXC6-SR	STIFF REGULAR	46"	62g	.335"	3.0"	.596"	3.2°	MID/HIGH
TOUR AD XC 6 S	ADXC6-S	STIFF	46"	64g	.335"	3.0"	.598"	3.2°	MID/HIGH
TOUR AD XC 6 X	ADXC6-X	X-STIFF	46"	65g	.335"	3.0"	.600"	3.2°	MID/HIGH
TOUR AD XC 6 TX	ADXC6-TX	TOUR X-STIFF	46"	67.5g	.335"	3.0"	.602"	3.2°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD XC 7 S	ADXC7-S	STIFF	46"	73g	.335"	3.0"	.598"	3.0°	MID/HIGH
TOUR AD XC 7 X	ADXC7-X	X-STIFF	46"	75g	.335"	3.0"	.600"	3.0°	MID/HIGH
TOUR AD XC 7 TX	ADXC7-TX	TOUR X-STIFF	46"	76.5g	.335"	3.0"	.602"	3.0°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD XC 8 S	ADXC8-S	STIFF	46"	83g	.335"	3.0"	.604"	2.8°	MID/HIGH
TOUR AD XC 8 X	ADXC8-X	X-STIFF	46"	85g	.335"	3.0"	.606"	2.8°	MID/HIGH

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ IZ

The Graphite Design **Tour AD IZ – "Into the Zone"**, designed and manufactured at the Graphite Design Japan factory headquarters, has a very stealthy look to it in black with white/orange accents and a sleek new matte finish. The **Tour AD IZ** shafts are available in 40g R2, R1, and S flex, 50g R2, R, S, and X flex, 60g SR, S, X, and TX flex, 70g S, X, and TX flex, and 80g S and X flex.

Like all the premium Tour AD wood shafts, the Tour AD IZ utilizes premium, aerospace-quality 50t carbon-fiber materials to deliver the best feeling and performing shaft available to golfers.

The **Tour AD IZ** shaft is firm starting at the handle with a medium center section, and a firm+ tip profile to promote a high launch angle and low/mid-ball spin rates. The **Tour AD IZ** also utilizes TORAYCA® T1100G carbon-fiber pre-preg with NANOALLOY® technology in the tip section of the shaft for additional shaft stability, exceptional feel, and precise ball control.

Contact your local Golf Club Fitting professional and ask how to get your Driver or Fairway metal wood "Into the Zone" using the **Tour AD IZ** model of premium Graphite Design graphite golf shafts.

MSRP $500
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PC Pro's Choice
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD IZ 4 R2	ADIZ4-R2	LITE/SENIOR	46"	47g	.335"	3.0"	.590"	5.6°	LOW
TOUR AD IZ 4 R1	ADIZ4-R1	REGULAR	46"	47g	.335"	3.0"	.590"	5.6°	LOW
TOUR AD IZ 4 S	ADIZ4-S	STIFF	46"	48g	.335"	3.0"	.592"	5.6°	LOW
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ 5 R2	ADIZ5-R2	LITE/SENIOR	46"	53g	.335"	3.0"	.594"	4.5°	MID
TOUR AD IZ 5 R1	ADIZ5-R1	REGULAR	46"	54g	.335"	3.0"	.596"	4.5°	MID
TOUR AD IZ 5 S	ADIZ5-S	STIFF	46"	56g	.335"	3.0"	.598"	4.5°	MID
TOUR AD IZ 5 X	ADIZ5-X	X-STIFF	46"	58g	.335"	3.0"	.600"	4.4°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ 6 SR	ADIZ6-SR	STIFF REGULAR	46"	62g	.335"	3.0"	.596"	3.2°	MID
TOUR AD IZ 6 S	ADIZ6-S	STIFF	46"	54g	.335"	3.0"	.598"	3.2°	MID
TOUR AD IZ 6 X	ADIZ6-X	X-STIFF	46"	65g	.335"	3.0"	.600"	3.2°	MID
TOUR AD IZ 6 TX	ADIZ6-TX	TOUR X-STIFF	46"	66g	.335"	3.0"	.602"	3.2°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ 7 S	ADIZ7-S	STIFF	46"	73g	.335"	3.0"	.598"	3.1°	MID
TOUR AD IZ 7 X	ADIZ7-X	X-STIFF	46"	74g	.335"	3.0"	.600"	3.1°	MID
TOUR AD IZ 7 TX	ADIZ7-TX	TOUR X-STIFF	46"	76g	.335"	3.0"	.602"	3.0°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ 8 S	ADIZ8-S	Stiff	46"	82g	.335"	3.0"	.604"	2.9°	MID
TOUR AD IZ 8 X	ADIZ8-X	X-Stiff	46"	84g	.335"	3.0"	.606"	2.9°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

TOUR AD™ DI

The **Tour AD DI "DEEP IMPACT"** is designed to provide golfers with more power and stability in their golf shaft. Designed and manufactured exclusively at the Graphite Design factory headquarters in Japan, the **Tour AD DI** orange and black colored options are available in 50g R2 (Lite), R1 (Regular) S and X flex, 60g SR (Stiff Regular), S, X and TX (Tour X-Stiff) flex, 70g S, X and TX (Tour X-Stiff) flex and 80g S, X and TX (Tour X-Stiff) flex.

The **Tour AD DI** 5-R2, R1, S and X flex, 6-SR, S and X flex, 7-S and X flex and 8-S and X are available in two color schemes orange with white bands and green rings and a 2nd color option of black with white bands and silver rings. The **Tour AD DI** 6-TX, 7-TX, 8-TX and 9-X flex shafts are available only in the orange color scheme.

The **Tour AD DI** is our first shaft design that was integrated with Toray Company's original NANOALLOY material technology in the tip section of the shaft. This material technology has now come to be known as **"DI Technology"**. This unique material technology promotes additionally shaft stability without the loss of feel and allows the player to create greater club head speed resulting in greater ball speed while still providing exceptional feel and control.

The **Tour AD DI** also utilizes premium, aerospace quality 50t carbon-fiber materials to provide the best performing shaft available. The softer mid-section bend profile of the **Tour AD DI** allows the player to load the shaft properly, yet it maintains a firm enough tip section through impact promoting a high launch and low spin ball flight condition. The result, the **Tour AD DI** delivers players to the next level in shaft performance and will create a "**D**EEP **I**MPACT" on your game!

MSRP $500

PROSCHOICEGOLFSHAFTS.COM

760-476-9588

PRO'S CHOICE

EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Color Option	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD DI 5 R2	ADDI5NC-R2 or WDI5BV-R2	ORANGE OR BLACK	LITE/SENIOR	46"	53.5g	.335"	3.0"	.595"	4.7°	MID
TOUR AD DI 5 R1	ADDI5NC-R1 or WDI5BV-R1	ORANGE OR BLACK	REGULAR	46"	55g	.335"	3.0"	.596"	4.7°	MID
TOUR AD DI 5 S	ADDI5NC-S or WDI5BV-S	ORANGE OR BLACK	STIFF	46"	56.5g	.335"	3.0"	.598"	4.6°	MID
TOUR AD DI 5 X	ADDI5NC-X or WDI5BV-X	ORANGE OR BLACK	X-STIFF	46"	60.5g	.335"	3.0"	.602"	4.6°	MID
TOUR AD DI 6 SR	ADDI6NC-SR or WDI6BV-SR	ORANGE OR BLACK	STIFF REGULAR	46"	63.5g	.335"	3.0"	.598"	3.4°	MID
TOUR AD DI 6 S	ADDI6NC-S or WDI6BV-S	ORANGE OR BLACK	STIFF	46"	65g	.335"	3.0"	.600"	3.3°	MID
TOUR AD DI 6 X	ADDI6NC-X or WDI6BV-X	ORANGE OR BLACK	X-STIFF	46"	66.5g	.335"	3.0"	.602"	3.3°	MID
TOUR AD DI 6 TX	ADDI6NC-TX	ORANGE ONLY	TOUR X-STIFF	46"	68.5g	.335"	3.0"	.604`"	3.3°	MID
TOUR AD DI 7 S	ADDI7NC-S or WDI7BV-S	ORANGE OR BLACK	STIFF	46"	73.5g	.335"	3.0"	.600"	3.2°	MID
TOUR AD DI 7 X	ADDI7NC-X or WDI7BV-X	ORANGE OR BLACK	X-STIFF	46"	75g	.335"	3.0"	.602"	3.1°	MID
TOUR AD DI 7 TX	ADDI7NC-TX	ORANGE ONLY	TOUR X-STIFF	46"	76.5g	.335"	3.0"	.604`"	3.1°	MID
TOUR AD DI 8 S	ADDI8NC-S or WDI8BV-S	ORANGE OR BLACK	STIFF	46"	83.5g	.335"	3.0"	.604"	3.0°	MID
TOUR AD DI 8 X	ADDI8NC-X or WDI8BV-X	ORANGE OR BLACK	X-STIFF	46"	84.5g	.335"	3.0"	.606"	2.9°	MID
TOUR AD DI 8 TX	ADDI8NC-TX	ORANGE ONLY	TOUR X-STIFF	46"	86g	.335"	3.0"	.608"	2.9°	MID
TOUR AD DI 9 X	ADDI9NC-X	ORANGE ONLY	X-STIFF	46"	97g	.335"	3.0"	.610"	2.6°	MID

Tip Trimming for Standard Bore Heads: Driver: 0.0", #3 wood: .5", #5 Wood or greater 1.0", then Butt Cut to desired club length after assembly.



GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ F-Series FWY

Designed specifically for Fairway metal woods and manufactured at the Graphite Design Japan factory headquarters, the ***Tour AD F-Series*** Fairway shafts are available in 55g R2, R1 and S Flex, 65g SR (Stiff Regular) S and X flex, 75g S and X flex and 85g S and X flex.

The ***Tour AD F-Series*** Fairway shafts are designed with a softer tip and stiffer butt profile and feature a Low Kick Point for higher launch conditions into the air and mid-ball spin. Manufactured under the same tight tolerances and with premium, aerospace quality 40t carbon-fiber materials, the ***Tour AD F-Series*** of shafts fall directly in line with all of the other high quality Graphite Design shafts as a complementing Fairway wood shaft.

Should you be searching for a new Fairway shaft that is designed to provide maximum distance and extra forgiveness off the fairways, then a new ***Tour AD F-Series*** Fairway graphite shaft may be the answer to what you are looking for in a high performance golf shaft for your Fairway metal-woods.

MSRP $300
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD F-55 R2	ADFW5-R2	LITE/SENIOR	44.0"	59g	.335"	3.0"	.598"	5.0°	LOW
TOUR AD F-55 R1	ADFW5-R1	REGULAR	44.0"	60g	.335"	3.0"	.598"	5.0°	LOW
TOUR AD F-55 S	ADFW5-S	STIFF	44.0"	60g	.335"	3.0"	.602"	5.0°	LOW
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD F-65 SR	ADFW6-SR	STIFF REGULAR	44.0"	68g	.335"	3.0"	.604"	3.3°	LOW
TOUR AD F-65 S	ADFW6-S	STIFF	44.0"	68g	.335"	3.0"	.604"	3.3°	LOW
TOUR AD F-65 X	ADFW6-X	X-STIFF	44.0"	70g	.335"	3.0"	.606"	3.3°	LOW
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD F-75 S	ADFW7-S	STIFF	44.0"	77g	.335"	3.0"	.598"	3.2°	LOW
TOUR AD F-75 X	ADFW7-X	X-STIFF	44.0"	79g	.335"	3.0"	.602"	3.2°	LOW
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD F-85 S	ADFW8-S	STIFF	44.0"	89g	.335"	3.0"	.602"	2.8°	LOW
TOUR AD F-85 X	ADFW8-X	X-STIFF	44.0"	91g	.335"	3.0"	.604"	2.8°	LOW

Tip Trimming for Standard Bore Heads: #3 wood: .5", #5 wood or greater: 1.0", then Butt Cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD VF HYBRID

The Graphite Design **Tour AD VF** – **V**ictory **F**orce was designed and is manufactured at the Graphite Design Japan factory headquarters and are jet black with red accents and finished with a gloss clear coat.

The **Tour AD VF**, like the other high performance Tour AD wood shafts, utilizes premium, aerospace quality carbon-fiber materials and are available in 40g R2, R1 and S flex, 50g R2, R1, S and X flex, 60g SR, S, X and TX flex, 70g S, X and TX flex and 80g X flex.

The **Tour AD VF** shaft profile is Firm in the butt section, Stiff+ in the center section and has a Very Stiff tip to promote Low/Mid launch angles and Low-ball spin rates. The **Tour AD VF** shafts utilizes the modern **TORAYCA® M40X** carbon-fiber material in the butt section of the shaft to support a stiff, yet smooth feeling kick point and the ultra-high modulus **TORAYCA® T1100G** carbon-fiber material in the middle thru to the tip section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for.

Victories require **F**orce. Visit your local Graphite Design dealer for a fitting and experience the **Tour AD VF**, where you will discover the Force necessary to achieve Victory.

MSRP $290
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD VF HYBRID 75 R	WVFHB75-R	REGULAR	42"	76g	.370"	3.0"	.600"	3.0°	MID/HIGH
TOUR AD VF HYBRID 75 S	WVFHB75-S	Stiff	42"	76.5g	.370"	3.0"	.600"	3.0°	MID/HIGH
TOUR AD VF HYBRID 75 X	WVFHB75-X	X-Stiff	42"	78g	.370"	3.0"	.600"	3.0°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF HYBRID 85 R	WVFHB85-R	REGULAR	42"	86g	.370"	3.0"	.600"	2.5°	MID/HIGH
TOUR AD VF HYBRID 85 S	WVFHB85-S	STIFF	42"	86.5g	.370"	3.0"	.600"	2.5°	MID/HIGH
TOUR AD VF HYBRID 85 X	WVFHB85-X	X-STIFF	42"	87.5g	.370"	3.0"	.602"	2.5°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF HYBRID 95 S	WVFHB95-S	STIFF	42"	95g	.370"	3.0"	.596"	2.5°	MID/HIGH
TOUR AD VF HYBRID 95 X	WVFHB95-X	X-STIFF	42"	97g	.370"	3.0"	.598"	2.5°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD VF HYBRID 105 S	WVFHB105-S	STIFF	42"	104.5g	.370"	3.0"	.602"	2.3°	MID/HIGH
TOUR AD VF HYBRID 105 X	WVFHB105-X	X-STIFF	42"	106g	.370"	3.0"	.604"	2.3°	MID/HIGH

Tip Trimming for all lofts of Standard Bore Hybrid and Driving Iron Heads: No Tipping - install straight in.



GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ IZ
HYBRID

The Graphite Design **Tour AD IZ – Into the Zone** hybrid shafts, designed and manufactured at the Graphite Design Japan factory headquarters, are available in 65g R2 (Lite) and R1 (Regular) flex, 75g R and S flex, 85g R, S and X flex and 95g S and X. They have a very stealthy look in black with white/orange accents and a sleek matte finish.

Like all of the premium Tour AD shafts, the Tour AD IZ Hybrid utilizes premium, aerospace-quality carbon-fiber materials to deliver the best feeling and performance for golfers. The **Tour AD *IZ* 65g and 75g** hybrid shafts have a medium stiffness starting at the handle, a firm center section, and a firm tip profile to promote a mid/high launch angle and low/mid ball spin rates.

The **Tour AD *IZ* 85g and 95g** hybrid shafts have firm stiffness starting at the handle, a firm center section, and a stiff tip profile to promote a mid-launch angle and lower ball spin rates. Reach out to your local Golf Club Fitting professional and ask how to get your hybrid or Driving Iron club **"Into the Zone"** using the new **Tour AD *IZ* Hybrid** model of premium Graphite Design graphite golf shafts.

MSRP $290
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD IZ HYBRID 65 R2	ADIZHB65-R2	LITE/SENIOR	42.0"	65g	.370"	3.0"	.600"	3.5°	LOW/MID
TOUR AD IZ HYBRID 65 R1	ADIZHB65-R1	REGULAR	42.0"	65g	.370"	3.0"	.600"	3.5°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ HYBRID 75 R	ADIZHB75-R1	REGULAR	42.0"	76g	.370"	3.0"	.598"	3.1°	LOW/MID
TOUR AD IZ HYBRID 75 S	ADIZHB75-S	STIFF	42.0"	78g	.370"	3.0"	.598"	3.1°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ HYBRID 85 R	ADIZHB85-R	REGULAR	42.0"	84g	.370"	3.0"	.602"	2.4°	MID
TOUR AD IZ HYBRID 85 S	ADIZHB85-S	STIFF	42.0"	86g	.370"	3.0"	.602"	2.4°	MID/HIGH
TOUR AD IZ HYBRID 85 X	ADIZHB85-X	X-STIFF	42.0"	88g	.370"	3.0"	.602"	2.4°	MID/HIGH
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IZ HYBRID 95 S	ADIZHB95-S	STIFF	42.0"	96g	.370"	3.0"	.598"	2.1°	MID/HIGH
TOUR AD IZ HYBRID 95 X	ADIZHB95-X	X-STIFF	42.0"	97g	.370"	3.0"	.598"	2.1°	MID/HIGH

Tip Trimming for Standard Bore Heads: 15-18° loft: 0.0", 19-22° loft: 0.5", 23° of greater loft: 1.0", then butt cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

Tour ACCURACY & DISTANCE

GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

TOUR AD™ DI-HYBRID

The **Tour AD DI "DEEP IMPACT"** Hybrid shafts are designed to provide golfers with more power and stability in a hybrid golf shaft. Designed and manufactured exclusively at the Graphite Design factory headquarters in Japan, the **Tour AD DI HYBRID** shaft is now available in two color schemes of orange with white bands and green rings and a second new color option of black with white bands and silver rings. Both color options are available in the four weight categories of 75g, 85g, 95g and 105g. The 75g and 85g shafts are available in R, S and X Flex and the 95g and 105g shafts are available in S and X Flex.

The **Tour AD DI** Hybrid is designed with the same performance characteristics as the Tour AD DI shafts for a mid/high trajectory with low/mid to mid spin and pinpoint accuracy. Players of all skill levels will benefit from the exceptional control, workability and superior performance of the Tour AD DI Hybrid shafts. The result, the **Tour AD DI** hybrid shaft delivers players to the next level of superior distance with consistent trajectory control and will create a **"DEEP IMPACT"** on your game!

Revolutionary technology, design and the most advanced materials are trademarks in all Graphite Design shafts, making them the highest quality premium golf shafts on the market today. Validating the company's **"Tour AD"** logo, all of Graphite Design's PGA Tour-proven shafts are specifically designed to promote a gain in **A**ccuracy and **D**istance.

MSRP $290

PROSCHOICEGOLFSHAFTS.COM

760-476-9598

PRO'S CHOICE

EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Color Option	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD DI HYBRID 75 R	ADDIHB75NC-R or WDIHB75BV-R	Orange or Black	REGULAR	42"	78g	.370"	3.0"	.602"	3.1°	MID
TOUR AD DI HYBRID 75 S	ADDIHB75NC-S or WDIHB75BV-S	Orange or Black	STIFF	42"	78g	.370"	3.0"	.604"	3.1°	MID
TOUR AD DI HYBRID 75 X	ADDIHB75NC-X or WDIHB75BV-X	Orange or Black	X-STIFF	42"	78g	.370"	3.0"	.604"	3.1°	MID
TOUR AD DI HYBRID 85 R	ADDIHB85NC-R or WDIHB85BV-R	Orange or Black	REGULAR	42"	87g	.370"	3.0"	.604"	2.4°	MID
TOUR AD DI HYBRID 85 S	ADDIHB85NC-S or WDIHB85BV-S	Orange or Black	STIFF	42"	88g	.370"	3.0"	.604"	2.4°	MID
TOUR AD DI HYBRID 85 X	ADDIHB85NC-X or WDIHB85BV-X	Orange or Black	X-STIFF	42"	88g	.370"	3.0"	.604"	2.4°	MID
TOUR AD DI HYBRID 95 S	ADDIHB95NC-S or WDIHB95BV-S	Orange or Black	STIFF	42"	98g	.370"	3.0"	.602"	2.4°	MID
TOUR AD DI HYBRID 95 X	ADDIHB95NC-X or WDIHB95BV-X	Orange or Black	X-STIFF	42"	99g	.370"	3.0"	.603"	2.4°	MID
TOUR AD DI HYBRID 105 S	ADDIHB105NC-S or WDIHB105BV-S	Orange or Black	STIFF	42"	106g	.370"	3.0"	.608"	2.3°	MID
TOUR AD DI HYBRID 105 X	ADDIHB105NC-X or WDIHB105BV-X	Orange or Black	X-STIFF	42"	109g	.370"	3.0"	.610"	2.3°	MID

Tip Trimming for Standard Bore Heads: 15-18° loft: 0.0", 19-22° loft: .5", 23° or greater loft: 1.0", then Butt Cut to desired club length after assembly.



GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

TOUR AD™ HY

Designed and manufactured at the Graphite Design Japan factory headquarters and now available in brand new graphics for 2023, the ***Tour AD HY*** hybrid shafts are available in four weights of 65g and 75g in R and S flex, 85g in R, S and X flex and 95g in S and X flex.

Designed with the Tour AD DI Hybrid profile in mind, the ***Tour AD HY*** hybrid is softer in the tip and mid-section and slightly stiffer in the butt section of the shaft, to promote a higher ball flight than the Tour AD DI Hybrid shafts. The easy to hit ***Tour AD HY*** hybrid shafts can be counted on to deliver pin point ***A***ccuracy and greater ***D***istance, which is synonymous within all of the Graphite Design Tour ***AD*** shafts.

MSRP $230
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

Pro's Choice
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD HY 65 R	WHY65NL-R	REGULAR	42"	67g	.370"	3.0"	.600"	3.5°	LOW/MID
TOUR AD HY 65 S	WHY65NL-S	STIFF	42"	67g	.370"	3.0"	.600"	3.5°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD HY 75 R	WHY75NL-R	REGULAR	42"	77g	.370"	3.0"	.596"	3.1°	LOW/MID
TOUR AD HY 75 S	WHY75NL-S	STIFF	42"	78g	.370"	3.0"	.598"	3.1°	LOW/MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD HY 85 R	WHY85NL-R	REGULAR	42"	88g	.370"	3.0"	.600"	2.4°	LOW/MID
TOUR AD HY 85 S	WHY85NL-S	STIFF	42"	88g	.370"	3.0"	.600"	2.4°	LOW/MID
TOUR AD HY 85 X	WHY85NL-X	X-STIFF	42"	89g	.370"	3.0"	.602"	2.4°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD HY 95 S	WHY95NL-S	STIFF	42"	97g	.370"	3.0"	.596"	2.1°	LOW/MID
TOUR AD HY 95 X	WHY95NL-X	X-STIFF	42"	98g	.370"	3.0"	.598"	2.1°	MID

Tip Trimming for Standard Bore Heads: 15-18° loft: 0.0", 19-22° loft: .5", 23° or greater loft: 1.0", then Butt Cut to desired club length after assembly.



PROSCHOICEGOLFSHAFTS.COM

Tour ACCURACY & DISTANCE

GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

TOUR AD™ VF DRIVING IRON

New for 2025, the Graphite Design **Tour AD VF Utility Driving Iron** shafts were designed and manufactured at the Graphite Design Japan Headquarters and factory. The **Tour AD VF Driving Utility Iron** shafts mirror the same bend profile as the Tour AD VF Wood and Tour AD VF Hybrid shafts and are designed to promote Low launch angles and Low ball spin rates.

The **Tour AD VF Utility Driving Iron** shaft utilizes the **TORAYCA® M40X** carbon-fiber material technology in the butt section of the shaft for unrivaled shaft stability and precise ball control without the loss of the exceptional feel that Graphite Design shafts are so well known for. The shaft profile is Stiff in the butt section, Stiff in the center section, and it has a Very Stiff tip section.

Victories require **F**orce. Visit your local Graphite Design dealer for a fitting and experience the new **Tour AD VF Utility Driving Iron**. You will discover the Force necessary to achieve Victory.

MSRP $150

PROSCHOICEGOLFSHAFTS.COM

760-476-9598

PC PRO'S CHOICE

EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
Tour AD VF UT Driving Iron 95 S	IVFDR95-S	Stiff	40"	94g	.355"	Taper	.590"	2.5°	HIGH
Tour AD VF UT Driving Iron 95 X	IVFDR95-X	X-Stiff	40"	97g	.355"	Taper	.595"	2.5°	HIGH
Tour AD VF UT Driving Iron 105 S	IVFDR105-S	Stiff	40"	106g	.355"	Taper	.600"	2.2°	HIGH
Tour AD VF UT Driving Iron 105 X	IVFDR105-X	X-Stiff	40"	109g	.355"	Taper	.605"	2.2°	HIGH

Do not tip trim taper tip shafts. Install shaft straight into the club head and then butt cut shaft to the desired finished club length after installation.



GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™

UTILITY DRIVING IRON

The ***Tour AD Utility Driving Iron*** shafts are a great complement to the popular Tour AD premium Wood, Hybrid and Iron shafts. Available in two weights of 85 grams and 95 grams, the ***Tour AD Utility Driving Iron*** shafts are designed and manufactured exclusively at the Graphite Design factory headquarters in Japan utilizing the same technology found in the Tour AD wood series.

The ***Tour AD Utility Driving Iron*** shafts are designed to work with the modern Utility Driving Iron heads that have recently become popular. The 85g shaft is available in Stiff flex in either Orange/White or Black/White in a single shaft length of #3 - 39.0" with a .355" taper tip.

The 95g shaft is available in Black/White in Stiff and X-Stiff in a single shaft length of 39.0" with a .355" taper tip or in the Orange/White color in 3 different lengths of #3 - 39.0", #4 - 38.5" and #5 - 38.0" all with a .355" taper tip.

If you are looking for a shaft to provide better feel and control and ultimately more distance in your Utility Driving Iron, the Graphite Design ***Tour AD Utility Driving Iron*** graphite shaft may be the right choice for you.


MSRP $140
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Color	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD DRIVING IRON 85g Stiff #3 Orange	AD85DINC-S03	DI Orange/White	Stiff	39"	89g	.355"	Taper	.593"	2.4°	MID
Shaft Type	**Part Number**	**Color**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD DRIVING IRON 95g Stiff #3 Orange	AD95DINC-S3	DI Orange/White	Stiff	39"	98g	.355"	Taper	.593"	2.2°	MID
TOUR AD DRIVING IRON 95g Stiff #4 Orange	AD95DINC-S4	DI Orange/White	Stiff	38.5"	98g	.355"	Taper	.593"	2.2°	MID
TOUR AD DRIVING IRON 95g Stiff #5 Orange	AD95DINC-S5	DI Orange/White	Stiff	38"	98g	.355"	Taper	.593"	2.2°	MID
Shaft Type	**Part Number**	**Color**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD DRIVING IRON 95g X- Stiff #3 Orange	AD95DINC-X3	DI Orange/White	X-Stiff	39"	99g	.355"	Taper	.594"	2.2°	MID
TOUR AD DRIVING IRON 95g X-Stiff #4 Orange	AD95DINC-X4	DI Orange/White	X-Stiff	38.5"	99g	.355"	Taper	.594"	2.2°	MID
TOUR AD DRIVING IRON 95g X-Stiff #5 Orange	AD95DINC-X5	DI Orange/White	X-Stiff	38"	99g	.355"	Taper	.594"	2.2°	MID
Shaft Type	**Part Number**	**Color**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD DRIVING IRON 85g Stiff #3 Black	AD85B-S03	Black/White	Stiff	39"	89g	.355"	Taper	.593"	2.4°	MID
Shaft Type	**Part Number**	**Color**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD DRIVING IRON 95g Stiff #3 Black	AD95B-S03	Black/White	Stiff	39"	98g	.355"	Taper	.594"	2.2°	MID
TOUR AD DRIVING IRON 95g X-Stiff #3 Black	AD95B-X03	Black/White	X-Stiff	39"	99g	.355"	Taper	.594"	2.2°	MID

Do not tip trim taper tip shafts. Install shaft straight into the club head and then butt cut shaft to the desired finished club length after installation.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™
50g IRON SERIES

The ***Tour AD 50g Iron Series*** are light weight, 50g shaft offerings that complement the premium Tour AD wood and hybrid series of shafts. The ***Tour AD-50*** shaft model features a soft flex profile with a low kick point designed for higher ball flight and mid ball spin rates.

Manufactured at the Graphite Design factory headquarters in Japan, the ***Tour AD 50g*** Iron shafts are available in two color options of either blue or pink. The ***Tour AD 50g*** irons are a discrete length and constant weight shaft profile where each individual shaft length is designed for each individual club loft and each shaft length maintains the same shaft weight from the longest to the shortest club for the best in feel, balance and performance. The ***Tour AD 50g*** iron shafts have a .370" parallel tip with a 1.375" parallel tip section.

Take advantage of the superior distance and precise accuracy that Graphite Design shafts can offer and give the ***Tour AD 50g*** Iron graphite shafts a try in your next set of irons.


MSRP $140
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Color	Flex	Length	Wt.	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD IRON 50g	AD50NP-L03	Pink	Ladies	38.5"	50g	.370"	1.375"	0.587"	3.9°	LOW
TOUR AD IRON 50g	AD50NP-L04	Pink	Ladies	38.0"	50g	.370"	1.375"	0.587"	3.9°	LOW
TOUR AD IRON 50g	AD50NP-L05	Pink	Ladies	37.5"	50g	.370"	1.375"	0.585"	3.9°	LOW
TOUR AD IRON 50g	AD50NP-L06	Pink	Ladies	37.0"	50g	.370"	1.375"	0.583"	3.9°	LOW
TOUR AD IRON 50g	AD50NP-L07	Pink	Ladies	36.5"	50g	.370"	1.375"	0.583"	3.8°	LOW
TOUR AD IRON 50g	AD50NP-L08	Pink	Ladies	36.0"	50g	.370"	1.375"	0.581"	3.8°	LOW
TOUR AD IRON 50g	AD50NP-L09	Pink	Ladies	35.5"	50g	.370"	1.375"	0.581"	3.8°	LOW
TOUR AD IRON 50g	AD50NP-L10	Pink	Ladies	35.5	52g	.370"	1.375"	0.581"	3.8°	LOW
Shaft Type	**Part Number**	**Color**	**Flex**	**Length**	**Wt.**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick pt**
TOUR AD IRON 50g	AD50NB-L03	Blue	Ladies	39.0"	50g	.370"	1.375"	0.587"	3.9°	LOW
TOUR AD IRON 50g	AD50NB-L04	Blue	Ladies	38.5"	50g	.370"	1.375"	0.587"	3.9°	LOW
TOUR AD IRON 50g	AD50NB-L05	Blue	Ladies	38.0"	50g	.370"	1.375"	0.585"	3.9°	LOW
TOUR AD IRON 50g	AD50NB-L06	Blue	Ladies	37.5"	50g	.370"	1.375"	0.583"	3.9°	LOW
TOUR AD IRON 50g	AD50NB-L07	Blue	Ladies	37.0"	50g	.370"	1.375"	0.583"	3.8°	LOW
TOUR AD IRON 50g	AD50NB-L08	Blue	Ladies	36.5"	50g	.370"	1.375"	0.581"	3.8°	LOW
TOUR AD IRON 50g	AD50NB-L09	Blue	Ladies	36.0"	50g	.370"	1.375"	0.581"	3.8°	LOW
TOUR AD IRON 50g	AD50NB-L10	Blue	Ladies	35.5"	52g	.370"	1.375"	0.581"	3.8°	LOW

Tip Trimming for Standard Bore Heads: Tip Trimming not recommended. Butt Cut to desired club length only after assembly.



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

TOUR AD™ IRON SERIES

The ***Tour AD 55-115g Iron Shafts*** complement the premium Tour AD wood and hybrid series of shafts very well. The ***Tour AD Irons*** are designed and manufactured exclusively at the Graphite Design factory headquarters in Japan and are available in a jet black color with white bands and silver rings and in weight ranges from 55 grams to 115 grams.

The ***Tour AD 55-115g*** Irons feature a discrete length and constant weight shaft profile, meaning each individual shaft length is designed for each individual iron club loft and each shaft length maintains the same shaft weight from the longest to the shortest club to provide the best feel, balance and performance. The ***Tour AD 55g-115g*** iron shafts all have a .355" taper tip.

The ***Tour AD-55,-65,-75g*** shafts are available in flexes of Regular and Stiff and are designed to promote mid/high ball flight and mid spin. The ***Tour AD-85g*** shafts are available in flexes of Regular and Stiff and are designed to promote mid ball flight and mid spin. The ***Tour AD-95g*** shafts are available in men's flexes of Stiff and X-Stiff and are designed to promote mid ball flight and low/mid spin.

The ***Tour AD-105 & AD-115g*** iron models are a combo-flex Stiff/X-Stiff flex offering designed to produce a lower, piercing ball flight with low/mid spin rates. Contact Pro's Choice sales for additional details.

Take advantage of the superior distance with precise accuracy that Graphite Design shafts can offer and give the ***Tour AD*** premium iron graphite shafts a try in your next set of irons.

MSRP AD55-95 Irons $140
MSRP AD105 & AD115 $375
PROSCHOICEGOLFSHAFTS.COM
760-476-9598

Pro's Choice
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS

Shaft Type	Part Number	Color	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick pt
TOUR AD IRON 55G	AD55B-R03 thru R10	Black	Regular	39" - 35.5"	58g	.355"	Taper	.589"	3.2°	LOW/MID
TOUR AD IRON 55G	AD55B-S03 thru S10	Black	Stiff	39" - 35.5"	58g	.355"	Taper	.591"	3.2°	LOW/MID
TOUR AD IRON 65G	AD65T2B-R03 thru R10	Black	Regular	39" - 35.5"	68g	.355"	Taper	.583"	2.7°	LOW/MID
TOUR AD IRON 65G	AD65T2B-S03 thru S10	Black	Stiff	39" - 35.5"	68g	.355"	Taper	.585"	2.7°	LOW/MID
TOUR AD IRON 75G	AD75B-R03 thru R10	Black	Regular	39" - 35.5"	78g	.355"	Taper	.593"	2.8°	LOW/MID
TOUR AD IRON 75G	AD75B-S03 thru S10	Black	Stiff	39" - 35.5"	78g	.355"	Taper	.593"	2.8°	LOW/MID
TOUR AD IRON 85G	AD85B-R03 thru R10	Black	Regular	39" - 35.5"	89g	.355"	Taper	.593"	2.4°	MID
TOUR AD IRON 85G	AD85B-S03 thru S10	Black	Stiff	39" - 35.5"	89g	.355"	Taper	.593"	2.4°	MID
TOUR AD IRON 95G	AD95B-S03 thru S10	Black	Stiff	39" - 35.5"	98g	.355"	Taper	.593"	2.2°	MID
TOUR AD IRON 95G	AD95B-X03 thru X10	Black	X-Stiff	39" - 35.5"	99g	.355"	Taper	.593"	2.2°	MID
TOUR AD IRON 105G	AD105B-1/3 thru 10/12	Black	Combo S/X	40"-36"	106g	.355"	Taper	.602"	2.1°	MID/HIGH
TOUR AD IRON 115G	AD115B-1/3 thru 10/12	Black	Combo S/X	40"-36"	114g	.355"	Taper	.599"	2.1°	MID/HIGH

Do Not Tip Trim. Install shaft straight into club head and then Butt Cut shaft to Desired finished club length after installation into the club head.



PROSCHOICEGOLFSHAFTS.COM

Tour ACCURACY & DISTANCE™

GRAPHITE DESIGN™

PREMIUM GOLF SHAFTS

RAUNE

The new Graphite Design **Raune** (Raw-nay) Iron shafts offer a unique profile to golfers of all skill levels. They utilize high-modulus materials as the core for stability and pitch fiber as the outer layer for optimized stiffness and feel.

The word **Raune** is derived from a Japanese word meaning "Aim". The Raune Iron shafts are offered in four individual weights. The Raune Unitized .370" tip OD Iron shaft designs are offered in 60g Regular, 75g Regular, and 90g Stiff flex at a raw length of 39". The Raune 105g Irons are offered in Stiff and X-Stiff Flex with a .355" taper tip OD and are constant weight and discrete in shaft length.

The **Raune** 60g and 75g Iron shafts are designed to promote a mid-high trajectory with mid-high ball spin rates, and the Raune 90g and 105g Iron shafts are designed to promote a mid-trajectory with mid-ball spin rates.

With the new Raune Iron shafts, take advantage of the latest high-performance golf shafts from Graphite Design and reimagine your golf game with more power, performance, and stability in each iron club.

MSRP: Raune 60, 75 & 90g - $130.00
MSRP: Raune 105g - $140.00

PROSCHOICEGOLFSHAFTS.COM

760-476-9598

PC **PRO'S CHOICE**
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

SHAFT SPECIFICATIONS


Shaft Type	Part Number	Flex	Length	Wt	Tip OD	Tip Para.	Butt OD	Torque	Kick Pt
Raune 60g Regular Flex Iron - .370" Tip	IRA60UN-R	Regular	39.0"	62g	.370"	4.0"	.582"	4.2°	LOW/MID
Raune 75g Regular Flex Iron - .370" Tip	IRA75UN-R	Regular	39.0"	73g	.370"	4.0"	.586"	3.6°	LOW/MID
Raune 90g Stiff Flex Iron - .370" Tip	IRA90UN-S	Stiff	39.0"	93g	.370"	4.0"	.596"	3.1°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick Pt**
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S3	Stiff	39.0"	108g	.355"	Taper Tip	.600"	3.3°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S4	Stiff	38.5"	108g	.355"	Taper Tip	.600"	3.2°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S5	Stiff	38.0"	110g	.355"	Taper Tip	.600"	3.1°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S6	Stiff	37.5"	110g	.355"	Taper Tip	.600"	3.1°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S7	Stiff	37.0"	112g	.355"	Taper Tip	.600"	2.9°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S8	Stiff	36.5"	112g	.355"	Taper Tip	.600"	2.9°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S9	Stiff	36.0"	113g	.355"	Taper Tip	.600"	2.8°	MID
Raune 105g Stiff Flex - .355" Taper Tip	IRA105-S10	Stiff	35.5"	114g	.355"	Taper Tip	.600"	2.7°	MID
Shaft Type	**Part Number**	**Flex**	**Length**	**Wt**	**Tip OD**	**Tip Para.**	**Butt OD**	**Torque**	**Kick Pt**
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X3	X-Stiff	39.0"	110g	.355"	Taper Tip	.602"	3.3°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X4	X-Stiff	38.5"	110g	.355"	Taper Tip	.602"	3.2°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X5	X-Stiff	38.0"	110g	.355"	Taper Tip	.602"	3.1°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X6	X-Stiff	37.5"	110g	.355"	Taper Tip	.602"	3.1°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X7	X-Stiff	37.0"	114g	.355"	Taper Tip	.602"	2.9°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X8	X-Stiff	36.5"	114g	.355"	Taper Tip	.602"	2.9°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X9	X-Stiff	36.0"	114g	.355"	Taper Tip	.602"	2.8°	MID
Raune 105g X-Stiff Flex - .355" Taper Tip	IRA105-X10	X-Stiff	35.5"	115g	.355"	Taper Tip	.602"	2.7°	MID
Trimming Guide for Unitized .370" Tip Irons	#3-#5 = 0.0"	#6 = .5"	#7 = 1.0"	#8 = 1.5"	#9 = 2.0"	#10/Wedge = 2.5"	Butt Cut to desired finished club length after assembly		
Trimming Guide for Taper Tip .355" Irons	Do Not Tip Trim. Install shaft straight into club head and then Butt Cut shaft to Desired finished club length after installation into the club head.								



PROSCHOICEGOLFSHAFTS.COM

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

With 38 years of Tour proven Accuracy and Distance.....
Maybe it is time for you to experience the difference a premium, Graphite Design shaft can make!

Tour AD Wood Shafts	Type		Flex	Weight Range	Tip OD	Tip Para.	Torque	Spin	Launch (LOW · LOW/MID · MID · MID/HIGH · HIGH)
TOUR AD EK	WOOD	NEW	R2, R1, SR, S, X, TX	45, 55, 65, 75, 85g	.335"	3.0"	5.3-2.6	LOW/MID	
TOUR AD FI 6-S	WOOD		R2, R1, SR, S, X, TX	45, 55, 65, 75, 85g	.335"	3.0"	5.3-2.8	LOW to LOW/MID	
TOUR AD GRAPHITE DESIGN GC-6 FLEX S	WOOD		R2, R1,SR, S, X & TX	45, 55, 65, 75, 85g	.335"	3.0"	5.5-2.5	LOW to LOW/MID	
TOUR AD GRAPHITE DESIGN VF-6 FLEX S	WOOD		R2, R1, SR, S, X & TX	45, 55, 65, 75 & 85g	.335"	3.0"	5.5-2.4	LOW	
TOUR AD GRAPHITE DESIGN CQ-6 FLEX S	WOOD		R2, R1, SR, S, X & TX	45, 55, 65, 75 & 85g	.335"	3.0"	6.1-3.0	MID	
TOUR AD GRAPHITE DESIGN UB-6 FLEX S	WOOD		R2, R1, SR, S, X & TX	45, 55, 65, 75 & 85g	.335"	3.0"	5.5-2.8	MID to MID HIGH	
TOUR AD GRAPHITE DESIGN IZ-6 FLEX S	WOOD		R2, R1, SR, S, X & TX	45, 55, 65, 75 & 85g	.335"	3.0"	5.6-2.8	LOW	
TOUR AD GRAPHITE DESIGN DI-6 FLEX S	WOOD		R2, R1, SR, S, X & TX	55, 65, 75, 85 & 95g	.335"	3.0"	4.7-2.6	LOW	
TOUR AD GRAPHITE DESIGN DI-6 FLEX S	WOOD		R2, R1, SR, S & X	55, 65, 75 & 85g	.335"	3.0"	4.7-2.9	LOW	
TOUR AD GRAPHITE DESIGN F-75 FLEX S	FWY WOOD		R2, R1, SR, S & X	55, 65, 75 & 85g	.335"	3.0"	5.0-2.8	MID	

Anti-Gravity Wood Shafts	Type	Flex	Weight Range	Tip OD	Tip Para.	Torque	Spin	Launch
GRAPHITE DESIGN INC. aG33-3 FLEX R	WOOD	R2, R, SR	38g	.335"	3.0"	7.5	MID	

Hybrid & Irons	Type	Flex	Weight Range	Tip OD	Tip Para.	Torque	Spin	Launch
TOUR AD GRAPHITE DESIGN VF HYBRID 95-X	HYBRID	R, S & X	75, 85, 95, 105g	.370"	3.0"	3.0-2.3	LOW	
TOUR AD GRAPHITE DESIGN IZ-85 HYBRID	HYBRID	R2, R1, R, S & X	65, 75, 85 & 95g	.370"	3.0"	3.5-2.1	LOW/MID	
TOUR AD GRAPHITE DESIGN HY-75 FLEX S	HYBRID	R, S & X	65, 75, 85 & 95g	.370"	3.0"	3.5-2.1	MID	
TOUR AD GRAPHITE DESIGN DI-85 HYBRID FLEX S	HYBRID	R, S & X	75, 85, 95 & 105g	.370"	3.0"	3.1-2.3	MID	
TOUR AD GRAPHITE DESIGN DI-85 HYBRID FLEX S	HYBRID	R, S & X	75, 85, 95 & 105g	.370"	3.0"	3.1-2.3	MID	
TOUR AD GRAPHITE DESIGN VF DRIVING IRON 105-X	DRIVING IRON	S & X	95 & 105g	.355"	TAPER	2.5-2.2	LOW	
TOUR AD GRAPHITE DESIGN AD-95	DRIVING IRON	S & X	85g & 95g	.355"	TAPER	2.4-2.2	MID	
TOUR AD GRAPHITE DESIGN AD-DI	IRON	Ladies	50g	.370"	1.375"	3.9	MID	
TOUR AD GRAPHITE DESIGN AD-85	IRON	R, S & X	55, 65, 75, 85 & 95g	.355"	TAPER	3.2-2.2	MID	
GRAPHITE DESIGN RAUNE i75u FLEX-R MADE IN JAPAN	IRON	R & S	60, 75 & 90g	.370"	4.0"	3.1-4.2	MID to MID/HIGH	
GRAPHITE DESIGN RAUNE i105 FLEX-X MADE IN JAPAN	IRON	S & X	105g	.355"	TAPER	2.7 to 3.3	MID	

This chart is for use as a general reference of our shaft offerings. Pro's Choice encourages consulting a PGA Professional or qualified club builder to help you determine the correct shaft bend profile for your individual swing.

Visit PROSCHOICEGOLFSHAFTS.COM for more details and where to buy.

updated July 15, 2026

PRO'S CHOICE
PROSCHOICEGOLFSHAFTS.COM

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

2027 WOOD SHAFT FITTING GUIDE AND SHAFT COMPARISON CHART

RECOMMENDED SHAFT MODEL BASED ON DESIRED LAUNCH ANGLE AND SPIN RATE CHARACTERISTICS:

LAUNCH	LOW	LOW/MID	MID	MID/HIGH	HIGH
HIGH	TOUR AD IZ-6	TOUR AD IZ-4 TOUR AD IZ-5	aG33-3 R2 TOUR AD F-55 FWY aG33-3 R & SR		
HIGH	TOUR AD DI-6 TOUR AD IZ-7	TOUR AD DI-5	TOUR AD F-65 FWY TOUR AD F-75 FWY TOUR AD F-85 FWY		
MID/HIGH	TOUR AD DI-7	TOUR AD UB-4 TOUR AD UB-5 TOUR AD EK-4 TOUR AD EK-5	TOUR AD CQ-4 TOUR AD CQ-5		
MID/HIGH	TOUR AD IZ-8	TOUR AD UB-6 TOUR AD EK-7 TOUR AD EK-6 TOUR AD EK-8	TOUR AD CQ-6 TOUR AD CQ-7 TOUR AD CQ-8		
MID	TOUR AD FI-6 TOUR AD DI-8	TOUR AD FI-4 TOUR AD FI-5 TOUR AD XC-5	TOUR AD GC-4 TOUR AD GC-5		
MID	TOUR AD FI-7 TOUR AD FI-8 TOUR AD DI-9	TOUR AD GC-6 TOUR AD GC-7 TOUR AD UB-7 TOUR AD UB-8 TOUR AD GC-8			
LOW/MID	TOUR AD VF-4 TOUR AD XC-6 TOUR AD VF-5 TOUR AD XC-7				
LOW/MID	TOUR AD VF-6 TOUR AD VF-8 TOUR AD VF-7 TOUR AD XC-8				
LOW					
LOW					
SPIN					

RECOMMENDED SHAFT FLEX GUIDE FOR TOUR AD WOODS BASED ON DRIVER SWING SPEED:

DRIVER SWING SPEED	71-85 MPH	86-95 MPH	92-98 MPH	96-105 MPH	105+ MPH	110+ MPH
SHAFT FLEX	R2 Flex (Lite/Senior)	R1 Flex (Regular)	SR Flex* (Stiff Regular)	S Flex (Stiff)	X Flex (X-Stiff)	TX Flex (Tour X-Stiff)

* Stiff Regular (SR) Flex shafts are available in the " Tour AD" wood models only.

Pro's Choice Golf Shafts encourages consulting a PGA Professional or qualified Graphite Design Club Fitter to help you determine the correct shaft weight, flex and length for your swing profile and to meet your goals.

GRAPHITE DESIGN WOOD SHAFT COMPARISON CHART:

SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION	LAUNCH	SPIN
Tour AD EK	STIFF	FIRM	STIFF	MID/HIGH	LOW/MID
Tour AD FI	FIRM+	FIRM+	STIFF	MID	LOW TO LOW/MID
Tour AD GC	STIFF	FIRM	FIRM+	MID	LOW/MID TO MID
Anti-Gravity aG33-3	FIRM	MEDIUM	SOFT+	HIGH	MID
TOUR AD VF	FIRM+	STIFF	VERY STIFF	LOW/MID	LOW
TOUR AD CQ	FIRM	FIRM	MEDIUM+	MID/HIGH	MID
TOUR AD UB	MEDIUM+	MEDIUM+	STIFF+	MID TO MID/HIGH	LOW/MID
TOUR AD XC	SOFT	STIFF	STIFF	LOW/MID	LOW
TOUR AD IZ	FIRM	MEDIUM	FIRM+	HIGH	LOW
TOUR AD F-Series FWY	FIRM	MEDIUM	SOFT	HIGH	MID
TOUR AD DI	MEDIUM	MEDIUM	STIFF	HIGH	LOW

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

Pro's Choice Contact Information:
Sales: Bill McPherson
b.mcpherson@proschoicegolfshafts.com
Phone: 619-454-6283

updated July 15, 2026

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

2027 HYBRID & IRON SHAFT FITTING GUIDE AND SHAFT COMPARISON CHART

RECOMMENDED SHAFT MODEL BASED ON DESIRED LAUNCH ANGLE AND SPIN RATE CHARACTERISTICS:

LAUNCH	LOW	LOW/MID	MID	MID/HIGH	HIGH
HIGH			TOUR AD 50 IRON	RAUNE 60	
MID/HIGH			TOUR AD 55 IRON TOUR AD HY 65 & 75 TOUR AD 65 IRON TOUR AD IZ 65	RAUNE 75	
MID/HIGH			RAUNE 90 TOUR AD HY 85 TOUR AD HY 95 TOUR AD 75 IRON TOUR AD IZ 75		
MID		TOUR AD DI 85 HYBRID	TOUR AD DRIVING IRON 85 TOUR AD 85 IRON TOUR AD DI 75		
MID		TOUR AD DI 95 HYBRID TOUR AD DI 105 HYBRID	RAUNE 105 TOUR AD DRIVING IRON 95 TOUR AD 95 IRON		
LOW/MID	TOUR AD VF-75 TOUR AD VF-85	TOUR AD IZ 85 HYBRID TOUR AD IZ 95 HYBRID			
LOW/MID	TOUR AD VF-95 TOUR AD VF-105	TOUR AD 105 IRON TOUR AD 115 IRON			
LOW	TOUR AD VF UT DRIVING IRON 95 & 105				
LOW	TOUR AD VF UT DRIVING IRON 95 & 105				
	LOW	LOW/MID	MID	MID/HIGH	HIGH
	SPIN				

RECOMMENDED SHAFT FLEX GUIDE BASED ON DRIVER SWING SPEED:

DRIVER SWING SPEED	LESS THAN 85 MPH	86-95 MPH	96-105 MPH	105+ MPH
SHAFT FLEX	L Flex (Ladies)	R Flex (Regular)	S Flex (Stiff)	X Flex (X-Stiff)

Pro's Choice Golf Shafts encourages consulting a PGA Professional or qualified Graphite Design Club Fitter to help you determine the correct shaft weight, flex and length for your swing profile and to meet your goals.

HYBRID SHAFT BEND PROFILE CHART:

SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION
TOUR AD VF HYBRID	FIRM	STIFF	VERY STIFF
TOUR AD IZ 65/75 HYBRID	MEDIUM	FIRM	FIRM
TOUR AD IZ 85/95 HYBRID	FIRM	FIRM	STIFF
TOUR AD DI HYBRID	SOFT	MEDIUM+	STIFF
TOUR AD HY HYBRID	MEDIUM	MEDIUM	MEDIUM

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

IRON SHAFT BEND PROFILE CHART

SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION
TOUR AD 55g	MEDIUM	SOFT	SOFT
TOUR AD 55g	MEDIUM	MEDIUM	SOFT
TOUR AD 65g	FIRM	MEDIUM	SOFT
TOUR AD 75g	FIRM	MEDIUM	SOFT
TOUR AD 85g	STIFF	FIRM	MEDIUM
TOUR AD 95g	STIFF	FIRM	FIRM
TOUR AD 105g	STIFF	STIFF	FIRM
RAUNE 60g	MEDIUM	SOFT	SOFT
RAUNE 75g	MEDIUM	MEDIUM	SOFT
RAUNE 90g	FIRM	MEDIUM	MEDIUM
RAUNE 105g	FIRM	FIRM	FIRM

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

updated July 15, 2026

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

Tour AD ACCURACY & DISTANCE™
GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

2027 WOOD SHAFT INSTALLATION AND TRIMMING GUIDE

TOUR AD/JAPAN WOOD SHAFTS:

CLUB	PRODUCT TYPE	STD-BORE HOSEL	BLIND BORE HOSEL	THRU BORE HOSEL	NOTES
DRIVERS	Tour AD EK, FI, GC, VF, CQ, UB, XC, DI & IZ	0.0″	0.0″	Insert 2.5″ only	3.0″ of Tip Parallel
DRIVERS	Anti-Gravity aG33-3	0.0"	0.0"	Insert 2.5″ only	3.0″ of Tip Parallel
CLUB	**PRODUCT TYPE**	**STD-BORE HOSEL**	**BLIND BORE HOSEL**	**THRU BORE HOSEL**	**NOTES**
#3 WOOD	Tour AD EK, FI, GC, VF, CQ, UB, XC, DI & IZ	0.5"	0.5"	0.5" - then Insert 2.0"	3.0" of Tip Parallel
#3 WOOD	TOUR AD F-Series FWY	0.5″	0.5″	0.5" - then Insert 2.0"	3.0" of Tip Parallel
#3 WOOD	Anti-Gravity aG33-3	0.5"	0.5"	0.5″ - then Insert 2.0″	3.0″ of Tip Parallel
CLUB	**PRODUCT TYPE**	**STD-BORE HOSEL**	**BLIND BORE HOSEL**	**THRU BORE HOSEL**	**NOTES**
#5- #9 WOOD	Tour AD EK, FI, GC, VF, CQ, UB, XC, DI & IZ	1.0″	1.0″	0.5" - then Insert 2.0"	3.0" of Tip Parallel
#5- #9 WOOD	TOUR AD F-Series FWY	1.0"	1.0"	0.5" - then Insert 2.0"	3.0" of Tip Parallel
#5- #9 WOOD	Anti-Gravity aG33-3	1.0"	1.0"	0.5″ - then Insert 2.0″	3.0″ of Tip Parallel

* Pro's Choice encourages consulting a PGA Professional or qualified club builder to help you determine the correct shaft and length for your swing profile and to meet your goals.
* Always leave a minimum of 0.5″ of the parallel tip section of the shaft above the hosel. For example with a hosel depth of 1.5″ and a parallel tip length of 4.0″, the tip trim length should not exceed 2.0″.
* Improper installation may effect the intended performance of the shaft. Warranty is for material and workmanship of our products. Improper installation voids warranty of product.

PRO'S CHOICE
EXCLUSIVE DISTRIBUTOR FOR GRAPHITE DESIGN

Tour AD ACCURACY & DISTANCE
GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

2027 HYBRID & IRON SHAFT INSTALLATION AND TRIMMING GUIDE

ALL HYBRID AND IRON SHAFTS:

CLUB	PRODUCT TYPE	15°-18°	19°-22°	23°-26°	27°+	NOTES
HYBRIDS	TOUR AD VF HYBRID 75,85,95, 105 (.370" tip)	0.0"	0.0"	0.0"	0.0"	Install Straight In and then butt trim to final desired club length.
HYBRIDS	TOUR AD IZ HYBRID 65,75,85,95 (.370" tip)	0.0"	0.5"	1.0"	1.0"	Tip trim then butt trim to final desired club length.
HYBRIDS	TOUR AD DI 75,85,95 & 105 (.370" tip)	0.0"	0.5"	1.0"	1.0"	Tip trim then butt trim to final desired club length.
HYBRIDS	TOUR AD HY 65,75,85 & 95 (.370" tip)	0.0"	0.5"	1.0"	1.0"	Tip trim then butt trim to final desired club length.


CLUB	PRODUCT TYPE	NOTES
IRONS	Tour AD 50 Iron (.370" Tip OD with 1 3/8" parallel tip section) No Tipping. Insert straight in and butt trim to desired final club length.	
IRONS	Tour AD 65, 75 85, 95 Iron (.355" Taper Tip) No Tipping. Insert straight in and butt trim to desired final club length.	
DRIVING IRONS	Tour AD VF UT 95g and 105g Driving Irons, Tour AD DI UT (Orange) 85g and 95g Driving Irons, Tour AD UT 85g and 95g (Black) Driving Irons – .355" taper tip. No tip trimming. Install straight in and Butt cut to desired final club length.	
IRONS	Tour AD 105 & 115 Iron gram weights- these shafts are combo flex shafts. Please contact Pro's Choice sales at 619-454-6283 or 760-476-9598 for tipping instructions.	

RAUNE IRON SHAFT INSTALLATION AND TRIMMING GUIDE

CLUB	PRODUCT TYPE	#3 Iron	#4 Iron	#5 Iron	#6 Iron	#7 Iron	#8 Iron	#9 Iron	#10/Wedge
IRONS	RAUNE 60g (.370" Tip OD with 4" of Parallel)	0.0"	0.0"	0.0"	0.5"	1.0"	1.5"	2.0"	2.5"
IRONS	RAUNE 75g (.370" Tip OD with 4" of Parallel)	0.0"	0.0"	0.0"	0.5"	1.0"	1.5"	2.0"	2.5"
IRONS	RAUNE 90g (.370" Tip OD with 4" of Parallel)	0.0"	0.0"	0.0"	0.5"	1.0"	1.5"	2.0"	2.5"
IRONS	RAUNE 105g (.355 Taper Tip) No Tipping	Insert Straight in and butt trim to desired final club length							

GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS


WOOD SHAFT - LAUNCH vs. SPIN CHART



updated July 15, 2026


GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

HYBRID SHAFT - LAUNCH vs. SPIN CHART



GRAPHITE DESIGN™
PREMIUM GOLF SHAFTS

IRON SHAFT - LAUNCH vs. SPIN CHART



updated July 15, 2026

GRAPHITE DESIGN WOOD SHAFT COMPARISON CHART:

SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION	LAUNCH	SPIN
Tour AD EK	STIFF	FIRM	STIFF	MID/HIGH	LOW/MID
Tour AD FI	FIRM+	FIRM+	STIFF	MID	LOW TO LOW/MID
Tour AD GC	STIFF	FIRM	FIRM+	MID	LOW/MID TO MID
Anti-Gravity aG33-3	FIRM	MEDIUM	SOFT+	HIGH	MID
TOUR AD VF	FIRM+	STIFF	VERY STIFF	LOW/MID	LOW
TOUR AD CQ	FIRM	FIRM	MEDIUM+	MID/HIGH	MID
TOUR AD UB	MEDIUM+	MEDIUM+	STIFF+	MID TO MID/HIGH	LOW/MID
TOUR AD XC	SOFT	STIFF	STIFF	LOW/MID	LOW
TOUR AD IZ	FIRM	MEDIUM	FIRM+	HIGH	LOW
TOUR AD F-Series FWY	FIRM	MEDIUM	SOFT	HIGH	MID
TOUR AD DI	MEDIUM	MEDIUM	STIFF	HIGH	LOW

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

HYBRID SHAFT BEND PROFILE CHART:			
SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION
TOUR AD VF HYBRID	FIRM	STIFF	VERY STIFF
TOUR AD IZ 65/75 HYBRID	MEDIUM	FIRM	FIRM
TOUR AD IZ 85/95 HYBRID	FIRM	FIRM	STIFF
TOUR AD DI HYBRID	SOFT	MEDIUM+	STIFF
TOUR AD HY HYBRID	MEDIUM	MEDIUM	MEDIUM

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

IRON SHAFT BEND PROFILE CHART

SHAFT MODEL	BUTT SECTION	MID SECTION	TIP SECTION
TOUR AD 50g L Flex	MEDIUM	SOFT	SOFT
TOUR AD 55g R & S Flex	MEDIUM	MEDIUM	SOFT
TOUR AD 65g R & S Flex	FIRM	MEDIUM	SOFT
TOUR AD 75g R & S Flex	FIRM	MEDIUM	SOFT
TOUR AD 85g R & S Flex	STIFF	FIRM	MEDIUM
TOUR AD 95g S & X Flex	STIFF	FIRM	FIRM
TOUR AD 105g S/X Combo	STIFF	STIFF	FIRM
TOUR AD 115g S/X Combo	STIFF	STIFF	FIRM
TOUR AD DI UT Driving Iron 85g S Flex	STIFF	FIRM	MEDIUM
TOUR AD DI UT Driving Iron 95g S & X Flex	STIFF	FIRM	FIRM
TOUR AD VF UT Driving Iron 95g S & X Flex	STIFF	STIFF	VERY STIFF
TOUR AD VF UT Driving Iron 105g S & X Flex	STIFF	STIFF	VERY STIFF
RAUNE 60g R Flex	MEDIUM	SOFT	SOFT
RAUNE 75g R Flex	MEDIUM	MEDIUM	SOFT
RAUNE 90g Stiff Flex	FIRM	MEDIUM	MEDIUM
RAUNE 105g S & X Flex	FIRM	FIRM	FIRM

LEGEND DESCRIBING THE SHAFT STIFFNESS FROM STIFFEST TO SOFTEST:
VERY STIFF → STIFF → FIRM → MEDIUM → SOFT

updated July 15, 2026

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

Bend Profile differences of Graphite Design Wood shafts

Tour AD EK – 2027
Mid/High Launch & Low/Mid Spin
*T1200G Technology


Tour AD FI – 2026
Mid Launch & Low to Low/Mid Spin
*M40X & T1100G Technology

Tour AD GC – 2025
Mid Launch & Low/Mid to Mid Spin
*M40X & T1100G Technology

Tour AD VF - 2024
Low/Mid Launch & Low Spin
*M40X & T1100G Technology

Tour AD DI - 2010
High Launch & Low Spin
*1st Gen. DI Technology

Tour AD XC - 2020
Low/Mid Launch & Low Spin
*M40X & T1100G Technology



updated July 15, 2026

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

Bend Profile differences of Graphite Design Wood shafts

	BUTT	MID	TIP
aG33-3 Series - 2024 High Launch & Mid Spin *M40X Technology	3	2	1+
Tour AD CQ - 2023 Mid/High Launch & Mid Spin *Nitta 2G-Namd Technology	3	3	2+
Tour AD UB - 2022 Mid to Mid/High Launch & Low/Mid Spin *M40X & T1100G Technology	2+	2+	4+
Tour AD IZ - 2018 High Launch & Low Spin *T1100G Technology	3	2	3+
Tour AD FW - 2017 High Launch & Mid Spin	3	2	1



Stiffness Profile From Stiffer to Softer:


5 Very Stiff → 4 Stiff → 3 Firm → 2 Medium → 1 Soft

updated July 15, 2026


GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

Bend Profile differences of Graphite Design Iron shafts

	Butt	MID	TIP
Tour AD 50g Iron .355” High Launch Mid Spin	2	1	1
Tour AD 55g Iron .355” Mid/High Launch Mid Spin	2	2	1
Tour AD 65g Iron .355” Mid/High Launch Mid Spin	3	2	1
Tour AD 75g Iron .355” Mid/High Launch Mid Spin	3	2	1



Stiffness Profile From Stiffer to Softer:



updated July 15, 2026

GRAPHITE DESIGN
PREMIUM GOLF SHAFTS

Bend Profile differences of Graphite Design Iron shafts

	Butt	MID	TIP
Tour AD 85g Iron .355” Mid Launch Mid Spin	4	3	2
Tour AD 95g Iron .355” Mid Launch Low/Mid Spin	4	3	3
Tour AD 105g Iron .355” Low/Mid Launch Low Spin	4	4	3
Tour AD 115g Iron .355” Low Launch Low Spin	4	4	4










Stiffness Profile From Stiffer to Softer:



updated July 15, 2026


Bend Profile differences of Graphite Design UT Driving Iron shafts

Tour AD DI 85g Driving Iron
.355” Tip OD
Mid Launch
Mid Spin


Tour AD DI 95g Driving Iron
.355” Tip OD
Mid Launch
Low/Mid Spin

Tour AD VF 95g Driving Iron
.355” Tip OD
Low Launch
Low Spin

Tour AD VF 105g Driving Iron
.355” Tip OD
Low Launch
Low Spin



Stiffness Profile From Stiffer to Softer:



updated July 15, 2026

Bend Profile differences of Graphite Design Iron shafts

	Butt	MID	TIP
Raune 60g Iron .370” Mid/High Launch Mid/High Spin	2	1	1
Raune 75g Iron .370” Mid/High Launch Mid/High Spin	2	2	1
Raune 90g Iron .370” Mid/High Launch Mid Spin	3	2	2
Raune 105g Iron .355” Mid Launch Mid Spin	3	3	3









Stiffness Profile From Stiffer to Softer:



updated July 15, 2026